

REFERENCES:

- [1] VaniRao, Constantine G. Lyketsos, Delusions in Alzheimer's Disease, *J. Neuropsychiatry Clinical Neurosciences* 1998; 10:373-82.
- [2] Wang, R., Sweeney, D., Gandy, S. E., and Sisodia, S. S. *Journal of Biological Chemistry* 1996; 271: 31894- 902
- [3] I. Ferrer, T. Gomez-Isla, B. Puig et al., Current advances on different kinases involved in tau phosphorylation, and implications in Alzheimer's disease and tauopathies, *Current Alzheimer Research* 2005; 2 (1): 3-18.
- [4] F. Hernandez, E. Gomez de Barreda, A. Fuster-Matanzo, J. J. Lucas, and J. Avila, GSK3: a possible link between beta Amyloid peptide and tau protein, *Experimental Neurology* 2010; 223 (2):322-25.
- [5] A. Leroy, I. Landrieu, I. Huvent et al., Spectroscopic studies of GSK β phosphorylation of the neuronal tau protein and its interaction with the N-terminal domain of apolipoprotein E, *The Journal of Biological Chemistry* 2010; 285, (43): 33435-444.
- [6] A. Martinez, A. Castro, I. Dorronsoro, and M. Alonso, Glycogen synthase kinase-3 (GSK-3) inhibitors as new promising drugs for diabetes, neurodegeneration, cancer, and inflammation, *Medicinal Research Reviews* 2002; 22, (4): 373-84.
- [7] Mortensen SA, Vadhanavikit S, Baandrup U, Folkers K. Long-term coenzyme Q10 therapy: a major advance in the management of resistant myocardial failure. *Drugs Experimental Clinical Research* 1985;11 (8):581-93.
- [8] Goodwin TW. Metabolism, nutrition, and function of carotenoids. *Annu Rev Nutr* 1986; 6:273-97.
- [9] Miki. Biological functions and activities of animal carotenoids. *Pure & Applied Chemistry* 1991; 63 (1):141- 46.
- [10] Yamashita. Suppression of post UVB hyperpigmentation by topical astaxanthin from krill. *Fragrance Journal* 1995; 14:180-85.
- [11] Lorenz, R.T. and Cysewski, G.R. Commercial potential for Haematococcus microalgae as a natural source of astaxanthin. *Trends Biotechnology* 2000; 18: 160-67.
- [12] Valko, M.; Leibfritz, D. Moncol, J. Cronin, M.T.; Mazur, M. Telser, J. Free radicals and
 - a. Antioxidants in normal physiological functions and human disease. *International Journal of Biochemistry Cell Biology* 2007; 39: 44-84.
- [13] Stahl, W. Sies, H. Antioxidant activity of carotenoids. *Mol. Asp. Med.* 2003; 24:345-51.
- [14] Naito, Y. Uchiyama, K. Aoi, W. Hasegawa, G. Nakamura, N. Yoshida, N. Maoka, T. Takahashi, J. Yoshikawa, T. Prevention of diabetic nephropathy by treatment with astaxanthin in diabetic db/db mice. *Biofactors* 2004; 20:49-59.
- [15] Camera, E. Mastrofrancesco, A. Fabbri, C. Daubrawa, F. Picardo, M. Sies, H. Stahl, W. Astaxanthin, canthaxanthin and beta-carotene differently affect UVA-induced oxidative damage and expression of oxidative stress-responsive enzymes. *Experimental Dermatology*. 2009; 18: 222-31.
- [16] Nishigaki, I. Rajendran, P. Venugopal, R. Ekambaram, G. Sakthisekaran, D. Nishigaki, Y. Cytoprotective role of astaxanthin against glycated protein/iron chelate-induced toxicity in human umbilical vein endothelial cells. *Phytotherapy Research*. 2010; 24: 54-59.
- [17] Gasche, Y. Copin, J.C. Sugawara, T. Fujimura, M.; Chan, P.H. Matrix metalloproteinase inhibition prevents oxidative stress-associated blood-brain barrier disruption after transient focal cerebral ischemia. *Journal of Cerebral Blood Flow Metabolism* 2001; 21: 1393-400.
- [18] Giasson, B.I. Duda, J.E. Murray, I.V. Chen, Q. Souza, J.M. Hurtig, H.I. Ischiropoulos, H. Trojanowski, J.Q. Lee, V.M. Oxidative damage linked to neurodegeneration by selective alpha-synuclein nitration in synucleinopathy lesions. *Science* 2000; 29: 985-89.
- [19] Wu, D.C. Teismann, P. Tieu, K.; Vila, M. Jackson-Lewis, V. Ischiropoulos, H. Przedborski, S. NADPH oxidase mediates oxidative stress in the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine model of Parkinson's disease. *Proceedings of National Academy of Science. USA* 2003; 100: 6145-50.
- [20] Jorgensen, W.L. The many roles of computation in drug discovery. *Science* 2004; 303: 1813-818.
- [21] Tramontano, A. The role of molecular modelling in biomedical research. *FEBS Lett.* 2006; 580: 2928-934.
- [22] Berman HM, John W, Zukang F, Gary G, Bhat TN, Helge W, Ilya NS and Philip EB, The protein Data Bank, *Nucleic Acids research* 2000; 28(1): 235-242.
- [23] Dudas J, Ouyang Z, Tseng J, Binkowski A, Turpaz Y, & Linang J, *Nucleic acids Research* 2006; 34: 116-118.
- [24] <http://Pubchem.ncbi.nlm.nih.gov/search/search.cgi>.
- [25] ArgusLab 4.0 Mark A: Thompson Planaria Software LLC. Seattle, WA. <http://www.arguslab.com>.
- [26] Wolf LK digital briefs: New software and websites for the chemical enterprise. *C&EN* 2009; 87:32.
- [27] Binkowski A T, Naghibzadeh S & Liang J J *Nucleic Acids Res* 31, 2003; 3352-3355.
- [28] Morris, G.M., Goodsell, D.S., Halliday, S., Huey, R., Hart, W.E., Belew, R.K. and Olson, A.J., Automated docking using Lamarckian genetic algorithm and an empirical binding free energy function, *Journal of Computational Chemistry* 1998; 19: 1639-662.
- [29] Grundke-Iqbal I, Iqbal K, Quinlan M, Tung YC, Zaidi MS, Wisniewski HM. Microtubule-associated protein tau. A component of Alzheimer paired helical filaments. *Journal of Biological Chemistry* 1986; 5: 261(13):6084-089.