









































- [25] Ellaiah P., Prabhakar, T., Ramakrishna, B., Thaeer Taleb, A. and Adinarayana, K.,: Strain Improvement of *Aspergillus niger* for the production of lipase. *Indian J. Microbiol.*, 2002; 42: 151-153.
- [26] Peterson R., Olson J., Fujimoto J., Measurement and alteration of the capacity of the distended biliary tree in the rat, *Toxicology and Applied Pharmacology*, 1971; 36:2, 353-368.
- [27] Elwan, S.H. Ammar, M.S. Moussallmay, M.K., Activity of L-Asparaginase in intact cells of *Thermoactinomyces vulgaris* 13 MSE, 1983; 18:1-2: 161-9.
- [28] Karuna, J. and Ayyanna, C., Production of semi-alkaline protease enzyme from *Aspergillus* spp. Proceedings of the Ninth National Convention of Chemical Engineers and International symposium on Importance of Biotechnology in coming decades. Viskhapatnam India: 1993; 8-11.
- [29] Battaglino, R. A., Huergo, M., Pilosuf, A. M. R. and Bartholomdi, G.B., Culture requirements for the production of protease by *Aspergillus oryzae* in solid-state fermentation. *Appl. Microbiol. Biotechnol.*, 1991; 35: 292-296.
- [30] Varalakshmi V., Jaya K., Optimization of L-Asparaginase production by *Aspergillus terreus* MTCC 1782 using Bajra seed flour under solid state fermentation, *International Journal of Research in Engineering and Technology*, 2013; 2 (9): 121-126.
- [31] Bilgrami, K.S. and Verma R.N., *Physiology of fungi*, 2nd edition, Vikas Publishing, Pvt. Ltd., 1981; 313-315.
- [32] P. Karthikeyan, K. Kanimozhi, G. Senthilkumar, A. Panneerselvam and G. Ashok, Optimization of Enzyme Production in *Trichoderma viride* using Carbon and Nitrogen source, *Int. J. Curr. Microbiol. App. Sci.*, 2014; 3(1): 88-95.
- [33] Chandrasekaran M, Lakshmanaperumalsamy P, Chandramohan D., Combined effect of environmental factors on spoilage bacteria. *Fish Tech India*, 1991; 28: 146-153.
- [34] Pallem C., Manipati S., Somalanka S.R. Process optimization of L-glutaminase production by *Trichoderma koningi* under solid state fermentation (SSF). *Int. J. Appl. Biol. Pharm. Technol.* 2010; 1: 1168-1174.
- [35] Nacuibk, & Saddikk., Growth and metabolism of *Aspergillus nidulans* Eidam on different nitrogen sources in synthetic media conducive to fat formation. *Can. J. Bot.*, 1960; 38, 618.
- [36] Maladkar N.K., Singh V.K., Naik S.R., *Hindustan Antibiot Bull*; Fermentative production and isolation of L-asparaginase from *Erwinia carotovora*, 1993; 35(1-2):77-86. EC-113.
- [37] Lekha, P.K. and Lonsane, B.K., Production and application of tanninacyl hydrolase: state of the art, *Adv. Appl. Microbiol.*, 1997; 44, 215-260.