

ACKNOWLEDGEMENT: -

Author is very grateful to Director DIBER- DRDO for providing logistic support, guidance and research facility. Author also wishes his gratitude to Dr. Hemant K. Pandey for helping in the experiment. Financial assistance received by Rakshit Pathak from Defence research and Development Organization (DRDO), Ministry of Defence, New Delhi, India is duly acknowledged.

REFERENCES

- [1] Hertog, M.G.L., Feskens, E.J.M., Hollmann P.C.H., Katan, M.B, Kromhout, D. (1993). Dietary antioxidant flavonoids and risk of coronary heart disease: The Zutphen Elderly Study. *Lancet*, 342: 1007-1011
- [2] Sies, H. and Stahl, W., (1995). Vitamins E and C, beta carotene, and other carotenoids as antioxidants. *Am J Clin Nutr*; 62(suppl):1315S-21S.
- [3] Halliwell, B., (1994). Free Radicals, Antioxidants, and Human Disease: Curiosity, Cause, or Consequence. *Lancet*;344:721-724.
- [4] Briviba, K. and Sies, H., Nonenzymatic Antioxidant Defense Systems (1994). In: *Natural Antioxidants in Human Health and Disease*. ed. Frei, B. Academic Press: San Diego. Ch 4, p. 107-128.
- [5] Pathak R., Goyal S., Kumari A., Dwivedi S.K., (2018). Antioxidant Profiling and Fatty Acid Composition of Lipids Present in *Hippophae Salicifolia* Grown in Higher Altitude of Uttarakhand Region. *World Journal of Pharmaceutical Research*. Vol 7, Issue 16. Pp.1286-1297.
- [6] Liu B., Wu Z., and Liu, W., (1980). "Preliminary Observation on Curing Effects of Seabuckthorn Fruit Juice for High Blood Cholesterol and Coronary Heart Disease", *Acta. Acad. Medicin. Sichua.*, Vol. 11, pp. 178-182.
- [7] Yang B., Kallio H., Tahvonen R., Kalimo K., Mattila L., and Kallio S., (2000), "Effects of Dietary Supplementation of Seabuckthorn (*Hippophae rhamnoides*) Oils on Fatty Acids in Patients with Atopic Dermatitis", *J. Nutri. Biochem.*, Vol. 11, No. 6, pp. 338-340.
- [8] Kumar K., Pathak R., 2016. Phytochemical analysis and assessment of in vitro antibacterial activity of non-polar solvent based *Camelina* seed extracts. *Ind J Plant Physiol*. 21(3):255–262.
- [9] Shen Q., Zhang B., Xu R., Wang Y., Ding X., Li P., Antioxidant activity in vitro of selenium-contained protein from the se-enriched *Bifidobacterium animalis* 01. *Anaerobe*, 2010; 16: 380-386.
- [10] Chakraborty G.,S., (2009). Quantitative estimation of Ascorbic Acid by HPTLC in different varieties of Amla. *J. Young Pharm Vol 1/ No. 1:82 – 85.*

About Author:

Mr. Rakshit Pathak did his M. Sc (Organic Chemistry) from DSB campus, Kumaun University, Nainital, in 2013. Presently, working as a SRF in Chemistry Department, DIBER, Haldwani on production of the Biofuel from *Camelina* and *Jatropha* crop. He is also involved in the study of phytoconstituents present in different plant extracts. He has published six research articles in National and International journal.