











- [37] Nazmi AS, Ahmad SJ, Rashikh A, Akhtar M, Pillai KK, Najmi AK. Protective effects of 'Khamira Abresham Hakim Arshad Wala' a Unani formulation against doxorubicin –induced cardiotoxicity and nephrotoxicity. *Toxicol Mech Methods* 2011; 21(1): 41-47.
- [38] Abdel-Wahhab MA, Aly SE. Antioxidant property of *Nigella sativa* (black cumin) and *Syzygium aromaticum* (clove) in rats during aflatoxicosis. *J Appl Toxicol* 2005; 25(3): 218–23.
- [39] Sengul M, Yildiz H, Gungor N, Cetin B, Ercisli S. Total phenolic content, antioxidant and antimicrobial activities of some medicinal plants. *Pak J Pharm Sci* 2009; 22(1): 102–6.
- [40] Subashini R, Yogeeta S, Gnanapragasam A, Devaki T. Protective effect of *Nardostachys jatamansi* on oxidative injury and cellular abnormalities during doxorubicin-induced cardiac damage in rats. *J Pharm Pharmacol* 2006; 58(2): 257–62.
- [41] Lyle N, Bhattacharyya D, Sur TK, Munshi S, Paul S, Chatterjee S, Gomes A. Stress modulating antioxidant effect of *Nardostachys jatamansi*. *Indian J Biochem Biophys* 2009; 46(1): 93–98.
- [42] Abdelwahed A, Bouhlel I, Skandrani I, Valenti K, Kadri M, Guiraud P, Steiman R, Mariotte AM, Ghedira K, Laporte F, Dijoux-Franca MG, Chekir-Ghedira L. Study of antimutagenic and antioxidant activities of gallic acid and 1,2,3,4,6-pentagalloylglucose from *Pistacia lentiscus*. Confirmation by microarray expression profiling. *Chem Biol Interact* 2007; 165(1): 1–13.
- [43] Davidson MH, Maki KC, Dicklin MR, Feinstein SB, Witchger M, Bell M, McGuire DK, Provost JC, Liker H, Aviram M. Effects of consumption of pomegranate juice on carotid intima-media thickness in men and women at moderate risk for coronary heart disease. *Am J Cardiol* 2009; 104(7): 936–42.
- [44] Kishore RK, Sudhakar D, Parthasarathy PR. Embryo protective effect of pomegranate (*Punica granatum* L.) fruit extract in adriamycin-induced oxidative stress. *Indian J Biochem Biophys* 2009; 46(1): 106–111.
- [45] Dash R, Acharya C, Bindu PC, Kundu SC. Antioxidant potential of silk protein sericin against hydrogen peroxide-induced oxidative stress in skin fibroblasts. *BMB Rep* 2008; 41(3): 236–41.
- [46] Singal PK, Deally CM, Weinberg LE. Subcellular effects of adriamycin in the heart: a concise review. *J Mol Cell Cardiol* 1987; 19(8): 817–28.
- [47] Yin X, Wu H, Chen Y, Kang YJ. Induction of antioxidants by adriamycin in mouse heart. *Biochem Pharmacol* 1998; 56(1): 87–93.
- [48] Chularojmontri L, Wattanapitayakul SK, Herunsalee A, Charuchongkolwongse S, Niumsukul S, Srichairat S. Antioxidative and cardioprotective effects of *Phyllanthus urinaria* L. on doxorubicin-induced cardiotoxicity. *Biol Pharm Bull* 2005; 28(7): 1165–71.
- [49] Wattanapitayakul SK, Chularojmontri L, Herunsalee A, Charuchongkolwongse S, Niumsukul S, Bauer JA. Screening of antioxidants from medicinal plants for cardioprotective effect against doxorubicin toxicity. *Basic Clin Pharmacol Toxicol* 2005; 96(1): 80–87.
- [50] Elberry AA, Abdel-Naim AB, Abdel-Sattar EA, Nagy AA, Mosli HA, Mohamadin AM, et al. Cranberry (*Vaccinium macrocarpon*) protects against doxorubicin-induced cardiotoxicity in rats. *Food Chem Toxicol* 2010; 48(5): 1178–84.
- [51] Michaud M, Balardy L, Moulis G, Gaudin C, Peyrot C, Vellas B, Cesari M, Nourhashemi F. Proinflammatory cytokines, aging, and age-related diseases. *J Am Med Dir Assoc* 2013; 14(12): 877–82.