











## REFERENCES

- [1] Gray TJ, Butterworth KR. Testicular atrophy produced by phthalate esters. *Arch Toxicol*, 1980; 4: 452-5.
- [2] National Toxicology Program Carcinogenesis Bioassay of Di(2-ethylhexyl)phthalate (CAS No. 117-81-7) in F344 Rats and B6C3F1 Mice (Feed Studies) Natl. Toxicol. Program. Tech. Rep. Ser. 1982; 217: 1-127.
- [3] Gray TJ, Beamand JA, Lake BG, Foster JR, Gangolli SD. Peroxisome proliferation in cultured rat hepatocytes produced by clofibrate and phthalate ester metabolites. *Toxicol Lett*, 1982; 10: 273-9.
- [4] Hurst CH, Waxman DJ. Activation of PPARalpha and PPARgamma by environmental phthalate monoesters. *Toxicol Sci*, 2003; 74: 297-308.
- [5] Richburg JH, Boekelheide K. Mono-(2-ethylhexyl) phthalate rapidly alters both Sertoli cell vimentin filaments and germ cell apoptosis in young rat testes. *Toxicol Appl Pharmacol*, 1996; 137:42-50.
- [6] Kasahara E, Sato EF, Miyoshi M, Konaka R, Hiramoto K, Sasaki J, Tokuda M, Nakano Y, Inoue M. Role of oxidative stress in germ cell apoptosis induced by di(2-ethylhexyl)phthalate. *Biochem J*, 2002; 365: 849-56.
- [7] Bhuiyan SH, Itami Y, Rokui Y, Katayama T, Izumori K. D-Allose production from D-psicose using immobilized L-rhamnose isomerase. *J Ferment Bioeng*, 1998; 85: 539-41.
- [8] Takeshita K, Suga A, Takada G, Izumori K. Mass production of D-psicose from D-fructose by a continuous bioreactor system using immobilized D-tagatose 3-epimerase. *J Biosci, Bioeng*, 2000; 90: 453-5.
- [9] Izumori K. Bioproduction strategies for rare hexose sugars. *Naturwissenschaften*, 2002; 89:120-4.
- [10] Hossain MA, Izuishi K, Maeta H. Protective effects of D-allose against ischemia reperfusion injury of the rat liver. *J. Hepatobiliary Pancreat Surg*, 2003; 10: 218-25.
- [11] Takeshita K, Suga A, Takada G, Izumori, K. Mass production of D-psicose from D-fructose by a continuous bioreactor system using immobilized D-tagatose 3-epimerase. *J Biosci Bioeng*, 2000; 90: 453-5.
- [12] Kimura S, Zhang GX, Nishiyama A, Nagai Y, Nakagawa T, Miyataka H, Fujisawa Y, Miyatake A, Nagai T, Tokuda M, Abe Y. D-allose, an all-cis aldo-hexose, suppresses development of salt-induced hypertension in Dahl rats. *J Hypertens*, 2005; 23: 1887-94.
- [13] Murata A, Sekiya K, Watanabe Y, Yamaguchi F, Hatano N, Izumori K, Tokuda M. A novel inhibitory effect of D-allose on production of reactive oxygen species from neutrophils. *J Biosci Bioeng* 2003; 96: 89-91.
- [14] Suna S, Yamaguchi F, Kimura S, Tokuda M, Jitsunari F. Preventive effect of D-psicose, one of rare keto-hexoses, on di(2-ethylhexyl) phthalate (DEHP)-induced testicular injury in rat. *Toxicol Lett*, 2007; 173: 107-17.
- [15] Albro PW and Thomas RO. Enzymatic hydrolysis of di (2-ethylhexyl)phthalate by lipases. *Biochem Biophys Acta*, 1973; 306: 380-390.
- [16] Venkata NG, Robinson JA, Cabot PJ, Davis B, Monteith GR, Roberts-Thomson SJ. Mono (2-ethylhexyl) phthalate and mono-n-butyl phthalate activation of peroxisome proliferator activated-receptors alpha and gamma in breast. *Toxicol Lett*, 2006; 163: 224-34.
- [17] Corton JC, Lapinskas PJ. Peroxisome proliferator-activated receptors: mediators of phthalate ester-induced effects in the male reproductive tract? *Toxicol Sci*, 2005; 83: 4-17.
- [18] Okita JR, Castle PJ, Okita RT. Characterization of cytochromes P450 in liver and kidney of rats treated with di-(2-ethylhexyl)phthalate. *J Biochem Toxicol*, 1993; Sep: 8:135-44.
- [19] Dirven HA, van den Broek PH, Jongeneelen FJ. Effect of di(2-ethylhexyl)phthalate on enzyme activity levels in liver and serum of rats. *Toxicology*, 1990; 65: 199-207.
- [20] Dirven HA, van den Broek PH, Peters JG, Noordhoek J, Jongeneelen FJ. Microsomal lauric acid hydroxylase activities after treatment of rats with three classical cytochrome P450 inducers and peroxisome proliferating compounds. *Biochem Pharmacol*, 1992; 43: 2621-9.
- [21] Poon R, Lecavalier P, Mueller R, Valli V E. Subchronic oral toxicity of di-n-octyl phthalate and di(2-ethylhexyl) phthalate in the rat. *Food and Chemical Toxicology*, 1997; 35: 225-39.
- [22] Sha Li, Hor-Yue Tan, Ning Wang, Zhang-Jin Zhang, Lixing Lao, Chi-Woon Wong, and Yibin Feng. The Role of Oxidative Stress and Antioxidants in Liver Diseases. *Int J Mol Sci*. 2015; 16: 26087-124.
- [23] Cengiz Bolukbas, Fusun Filiz Bolukbas, Mehmet Horoz, Mehmet Aslan, Hakim Celik, and Ozcan Erel. Increased oxidative stress associated with the severity of the liver disease in various forms of hepatitis B virus infection. *BMC Infect Dis*, 2005; 5: 95.
- [24] Mohammad Mushtaq, SP Srivastava, Prahlad K Seth. Effect of di-2-ethylhexyl phthalate (DEHP) on glycogen metabolism in rat liver *Toxicology*, 1980; 16: 153-61.
- [25] Bell FP, Makowske M, Schneider D, Patt CS. Inhibition of sterogenesis in brain and liver of fetal and suckling rats from dams fed di-2-ethylhexyl phthalate plasticizer. *Lipids*, 1979; 14: 372-7.