

The flow parameters for all the formulations (Table 7) were found to be significant.

Table 7: Flow properties of various formulations in contrast with lab made formulation

Parameter	Formulation			
	L-TC	JIVA-TC	UNJHA-TC	BAIDYANATH-TC
Bulk density	0.456±0.02	0.469±0.08	0.521±0.05	0.495±0.02
Tapped density	0.498±0.01	0.501±0.05	0.568±0.01	0.539±0.01
Carr's Index	8.433±0.02	6.387±0.04	8.274±0.02	8.163±0.06
Hausner's ratio	1.0921±0.05	1.068±0.07	1.090±0.03	1.088±0.09
Angle of repose	25.35±0.02	26.21±0.04	24.84±0.03	23.63±0.05

Values in mean ±SD; n=3

4. CONCLUSION

The organoleptic, physicochemical standardization of lab made triphala churna, and brands from JIVA, UNJHA, and BAIDYANATH were assessed. The ingredients of triphala churna (dried fruits of *Terminalia chebula*, *Terminalia bellirica*, and *Phyllanthus emblica*) were authenticated and standardized as per Indian Herbal Pharmacopoeia. The lab made triphala churna was found to be on par bearing the standards of the marketed brands.

REFERENCES

- [1] Belapurkar P, Goyal P, Tiwari-Barua P. Immunomodulatory effects of triphala and its individual constituents: a review. Indian Journal of Pharmaceutical Sciences. 2014 Nov;76(6):467.
- [2] Intharuksa A, Ando H, Miyake K, Sirisa-Ard P, Mikage M, Sasaki Y. Molecular analysis of Terminalia spp. distributed in Thailand and authentication of crude drugs from Terminalia plants. Biological and Pharmaceutical Bulletin. 2016 Apr 1;39(4):492-501.
- [3] Kondawar MS, Kamble KG, Mali DS. Quantitative estimation of gallic acid and ascorbic acid in a marketed herbal medicine: Triphala Churna by high performance thin layer chromatography. Int J PharmTech Res. 2011 Jul;3(3):1593-9.
- [4] Peterson CT, Denniston K, Chopra D. Therapeutic uses of Triphala in Ayurvedic medicine. The Journal of Alternative and Complementary Medicine. 2017 Aug 1;23(8):607-14.
- [5] Ahad HA, Yesupadam P, Rani EM, Padmaja BS, Swamy BK. Phytochemical and anti-inflammatory evaluation of Alangium lamarckii root extract. Der Pharmacia Sinica. 2011;2(2):119-26.
- [6] Singh N, Singh A, Pabla D. A review on medicinal uses of Bauhinia Variiegata Linn. PharmaTutor. 2019 Jun 1;7(6):12-7.
- [7] Rabinarayan A. Urushiol-induced contact dermatitis caused during Shodhana (purificatory measures) of Bhallataka (Semecarpus anacardium Linn.) fruit. Ayu. 2012 Apr;33(2):270.
- [8] Ahad HA, Padmaja BS, Sravanthi M, Ramyasree P, Kavitha K. Phytochemical screening and anti-inflammatory actions of Alangium salviifolium root extract. Natural product research. 2012 Sep 1;26(17):1649-53.
- [9] Kadam DK, Ahire PD, Bhoje JV, Patil AR, Yadav DK. Comparative standardization study of three Triphala churna formulation. Int J Pharmacogn (Panchkula, India) [Online]. 2018;4(2):71-8.
- [10] Pavani, P., Rohini, P., Khasim, S.M. and Bhagyasree, P., 2020. Phytochemical Investigation and Comparative Evaluation of Various Market Samples of Triphala Powder from India with References to Their Free Scavenging and Anti-diabetic Activity: An In Vitro Approach. In Medicinal Plants: Biodiversity, Sustainable Utilization and Conservation (pp. 597-608). Springer, Singapore.
- [11] Gavarkar PS, Kakade AN. Comparative Standardization Study of Two Marketed Triphala Churna Formulations. Journal of Current Pharma Research. 2016 Jul 1;6(4):1900-11.
- [12] Shakouie S, Eskandarinezhad M, Gasemi N, Milani AS, Samiei M, Golizadeh S. An in vitro comparison of the antibacterial efficacy of triphala with different concentrations of sodium hypochlorite. Iranian endodontic journal. 2014;9(4):287.
- [13] Ahad HA, Sreeramulu J, Bindu VH, Ramyasree P, Padmaja BS, Sravanthi M. Isolation and physicochemical characterization of Ficus reticulata fruit mucilage. International Journal of Green Pharmacy (IJGP). 2011;5(2).
- [14] Ashokkumar D. Pharmacognostical investigations on Triphala churnam. Ancient Science of Life. 2007 Jan;26(3):40.
- [15] Sandhya T, Lathika KM, Pandey BN, Mishra KP. Potential of traditional ayurvedic formulation, Triphala, as a novel anticancer drug. Cancer letters. 2006 Jan 18;231(2):206-14.
- [16] Ahad HA, Yesupadam P, Ramyasree P, Suma Padmaja B, Sravanthi M, Guru Prakash P. Isolation and physicochemical characterization of Hibiscus rosa-sinensis leaves mucilage. International journal of current research. 2011;3(4):210-2.
- [17] Momin M, Amin AF, Pundarikakshudu K. Development and evaluation of Triphala formulations. Indian journal of pharmaceutical sciences. 2004;66(4):427.