

















- [18] S.Selvakumaran, I.I.Muhammad, S.I.Razak. Evaluation of Kappa carrageenan as potential carrier for floating drug delivery system: effect of pore forming agents. *Carbohydr. Polym.*, 2016, 135:207-214.
- [19] C.A. Alalor, J.A.Avbunudiogba, K.Augustine. Isolation and characterization of mucilage obtained from colocasia esculenta. *Int. J. Pharm. Bio. Sci.*, 2014, 4: 25-29
- [20] N.Y. Njintang, T.Boudjeko, L.N.Tatsadjieu, et al.. Compositional, spectroscopic and rheological analyses of mucilage isolated from taro (*Colocasia esculenta* L. Schott) corms. *J. Food. Sci. Technol.*, 2014, 51(5): 900–907.
- [21] H.Bera, C.Gaini, S.Kumar, et al. HPMC-based gastroretentive dual working matrices coated with Ca<sup>2+</sup> ion cross linked alginate-fenugreek gum gel membrane. *Mater.Sci. Eng C.*, 2016, 67170–67181.
- [22] H. Bera, S.Mothe, S. Maiti, et al. Carboxymethyl fenugreek galactomannan-gellan gum-calcium silicate composite beads for glimepiride delivery. *Int. J. Biol. Macromol.*, 2018, 107:604-614.
- [23] T. Prannoy, P.K.Lakshmi. Design and optimization of hydrodynamically balanced oral in situ gel of glipizide. *J.Appl. Pharm.Sci.*, 2015, 503:1-8.
- [24] S.Jamzad, R. Fassihi. Development of a controlled release low dose class II drug-Glipizide. *Int.J. Pharm.*, 2006, 312:24–32.
- [25] M. Barbouchi, K.Elamrani, M. Idrissi, et al. Comparative study on phytochemical screening, quantification of phenolic contents and antioxidant properties of different solvent extracts from various parts of *Pistacia lentiscus* L. *J. King. Saud. Univer. Sci.*, 2020, 32(1):302-6.
- [26] N.C.J. Anyanwu, L.Y. Adogo, B.Ajide. Development and evaluation of in situ gelling gastroretentive formulations of meloxicam. *Univers. J. Pharm. Res.*, 2017, 2(3):11-14.
- [27] R.Ganapati,K.S. Bhimgoni, S.Anegundha. Floating drug delivery of a locally acting H<sub>2</sub>-antagonist: an approach using an in situ gelling liquid formulation. *Acta. Pharm.*, 2009, 59: 345–354.
- [28] M.Patel, D.K.Patel, C.N.Patel. Formulation and evaluation of floating oral in situ gelling system of amoxicillin. *I.S.R.N Pharm.*, 2011, 5402: 276250.
- [29] P.S.Rajnikanth,B.Mishra. Floating in situ gelling system of acetohydroxamic acid for clearance of *H.pylori*. *Drug. Dev. Ind. Pharm.*, 2008, 34: 577–587.
- [30] P.S.Rajnikanth, J. Balasubramaniam, B.Mishra. Development and evaluation of a novel floating in situ gelling system of amoxicillin for eradication of *Helicobacter pylori*. *Int. J. Pharm.*, 2007, 335: 114–122.
- [31] S.Mutalik, N.Udupa, S.Kumar, et al. Glipizide matrix transdermal systems for diabetes mellitus: Preparation, in vitro and preclinical studies. *Life. Sci.*, 2006, 79:1568-1577.
- [32] V.K. Kamboj, P.K. Verma. Palmitic Acid-Pluronic F127-palmitic acid pentablock copolymer as a novel nanocarrier for oral delivery of glipizide. *Turk. J. Pharm. Sci.*, 2019, 16(3):265-272.
- [33] N.N.Bobade, S.D Pande. Formulation and evaluation of controlled release gastro-retentive in situ gel for diltiazem hydrochloride. *Ind. J. Pharm. Ed. Res.*, 2016, 50 (3): S254-S265.
- [34] S.Miyazaki, H.Aoyama, N.Kawasaki. In situ gelling gellan formulations as vehicles for oral drug delivery. *J. Control. Release.* 1999, 60:287–295.
- [35] D.J. Singhavi, R.S.Pundkar, S.Khan. Famotidine microspheres reconstituted with floating in situ gel for stomach-specific delivery: Preparation and characterization. *J.Drug. Deliv. Sci.Technol.*, 2017, 41: 251-259.
- [36] B.E.De Spiegeleer, G.Wattyn G, P. Slegers. The importance of the cosolvent propylene glycol on the antimicrobial preservative efficacy of a pharmaceutical formulation by DOE ruggedness testing. *Pharm. Dev. Technol.*, 2008, 11:275-284.
- [37] D.B.Mahmoud, M.H.Shukur, A.N. Meshad. Gastroretentive cosolvent-based in situ gel as a promising approach for simultaneous extended delivery and enhanced bioavailability of mitoglinide calcium. *J. Pharm.Sci.*, 2018, 108: 897-906.
- [38] Y.Lu, S. Kim, K.Park. In vitro-in vivo correlation: perspectives on model development. *Int. J. Pharm.*, 2011, 418:142-148.
- [39] S.Sakore, B. Chakraborty. In vitro-in vivo correlation (IVIVC): a strategic tool in drug development. *J. Bioequiv.Availab.*, 2011, S3-15.
- [40] N.A.H.Abou Youssef, A.A.Kassem, M.A.E. El-Massik, et al. Development of gastroretentive metronidazole floating raft system for targeting *Helicobacter pylori*. *Int J Pharm.* 2015; 486(1-2):297-305.
- [41] B. Choi, H.J. Park, S. Hwang et al. Preparation of alginate beads for floating drug delivery system: effects of CO<sub>2</sub> gas-forming agents. *Int. J. Pharm.*, 2002, 239(1-2): 81-91.